

BöttcherFount N-1004 GS

Fountain Solution Additive

BöttcherFount N-1004 GS is a fountain solution additive for newspaper printing with effective plate protection and improved wetting. Particularly for soft water.

Application


- dosage range 2 - 3 % volume
- reduced and stable water pick-up of the ink, therefore high ink density obtained
- very stable ink-/water-balance
- reduction in water setting
- drier copy, improving post press operations
- clean, quick restarts of the printing plate
- reduced build-up of ink on dampening rollers
- for water hardness 0 – 10° dH (total hardness)
- pH-value for soft water 4.5 to 5.0
- corrosion inhibited
- reduced build-up of paper dust and ink on the blanket
- no sticky residue on the blanket
- no ink feedback into fountain solution
- effective prevention of foam
- increased conductivity per % input: 400 µS/cm
- density 1.08 (kg/l)

Features

Before applying BöttcherFount N-1004 GS, the fountain system must be completely emptied and cleaned thoroughly, preferably with BöttcherPro Hydroclean.

Note





- 200 kg container
- 1000kg container

Package

BöttcherFount N-1004 GS is classified according to EC-Directive 1999/45/EC - in its latest version and does not need to be marked. BöttcherFount N-1004 GS is not a dangerous good in the sense of national and international transport regulations.

Marking

All our product information sheets, as well as our contact data you will find on the internet www.boettcher-systems.com.


Felix Böttcher GmbH & Co. KG

Headquarter

Stolberger Str. 351 - 353
50933 Cologne, Germany
Phone +49 (0) 221 4907 - 1
Fax +49 (0) 221 4907 - 435
koeln@boettcher-systems.com



www.boettcher.de/contact



The purpose of these technical data is to assist our customers. We list general experience and laboratory test. Translation of these to actual applications is, however, subject to a variety of factors which are beyond our control. We ask for understanding that claims can not be based upon them.